

1367-2

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of)		R=C=n/=-
Edward Allan Ross)		RECEIVED
Serial No. 10/054,483)		APR 1 5 2002
Filed November 13, 2001)		TECHNOLOGY CENTER R3700
For: METHOD AND DEVICE FOR INTRAVASCULAR PLASMA FLUID REMOVAL)	New York, New York April 2, 2002	•
		RESPONSE	
Assistant Commissioner for Patents			

Washington, D.C. 20231

Sir:

This paper is responsive to the Notice To File Corrected Application Papers mailed February 19, 2002 wherein a filing date (November 13, 2001) was granted to the application. Enclosed, as required, is Part 2 of the Notice together with two sheets of formal drawings in accordance with the provisions of 37 CFR 1.84. The two sheets comprise six (6) drawing figures.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231 on

Date of Signature

Respectfully submitted

Sheldon Palmer Registration No. 24,429

630 Third Avenue

New York, New York 10017 (212) 983-8900 (Telephone) (212) 983-8903 (Facsimile



COMMISSIONER FOR PATENTS

UNITED STATES PATENT AND TRADEMARK OFFICE WASHINGTON, D.C. 20231

www.uspto.gov

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/054,483

11/13/2001

Edward Allan Ross

1367-2

CONFIRMATION NO. 5585

FORMALITIES LETTER

OC00000007496452

Sheldon Palmer c/o Galvin & Palmer 7th Floor 630 Third Avenue New York, NY 10017

RECEIVED
APR 1 5 2002

TECHNOLOGY CENTER R3700

Date Mailed: 02/19/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);
 - Drawings must be in dark ink (not pencil), except where color drawings or photographs are permitted.
 - Drawings must be reasonably free from erasures and must be free from alterations, overwritings, interlineations, folds, and copy marks.

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE